

Orbital Hydraulic Motor ST092 Interchangeable with White Cross RE, Parker TG

Specifications

- CC/Rev: 126
- Rotor Width L1 (mm): 17.4
- Speed Max Cont (RPM): 357
 - Flow Max Cont (LPM): 45
- Pressure Drop Max Cont (Bar): 205
- Inlet Pressure Max Cont (Bar): 210
 - Torque Max Cont (Nm): 350
 - Weight (Kg): 14.5
 - 7/16" UNF

Shaft Sizes available

- 1.1/4" 1:8 Tapered (Standard)
 - 1.1/2" 1:8 Tapered
 - 1.3/8" 1:8 Tapered
 - 1.1/4" 14T Splined
 - 1.1/4" Straight Keyed

Mounting options

- HW Wheel Mount 82.55mm Spigot (Standard)
 - Special Design similar to Dingo/Parker

Port options

• Side Ports 7/8" UNF (Standard)


Shaft Seals

• 150 Bar Shaft Seal Viton (Standard)

Please message or call MTM if you wish to customise your shafts, mountings, ports, shaft seals or any additions.

Compatible with:

- Wite Cross RE
 - Parker TG



We do not deliver to PO Boxes. Please make sure you have a residential address in your details for us to send your order to.

Free shipping for metro areas only, excluding TAS & NT

Local Pick up from our Sydney, Prestons Warehouse available.

You are buying from a professional Business with many years experience in this market. DO NOT compare this product with other cheaper prices or even same prices. This is a very high quality motor. Limited Time Offer. QUALITY at the right PRICE. This crazy price will not last long.



Payments Methods Accepted



Listing Details

When making a purchase from any of our eBay listings you are entering into a contract governed by our terms & conditions below. Please ensure you have read these before making your purchase.

Images shown are for demonstration purposes only. Product will match description but may vary from images shown. For any concerns about how a product looks please contact us before ordering.

Payment

Full payment is required within 5 days of sale. Payment can be made by Cash on pick-up (from our Warehouse), Paypal, credit card (over the phone) or bank deposit. Items will not be shipped out unless payment has been made in full.

Shipping/Delivery/Pick up

Please refer to our shipping tab at the top of our listing for all freight costs and delivery times. Your order will be sent through one of our delivery partners which include Toll, TNT, Couriers Please, E-Go, Go Logistics and Australia Post. The service used to deliver your order will be automatically selected by our freighting system. We accept no responsibility for products lost or damaged when sent through regular Australia Post.

We require a valid street address for all deliveries. We do NOT deliver to PO Boxes, Parcel Lockers or Post Office addresses. We also require a daytime phone number for all orders. Our operation hours for dispatch are Monday to Friday 9am to 2:30pm. In the unlikely case that you do not receive your order, please contact us to resolve this.

Local Pickup from our Sydney, Prestons Warehouse available.

Returns/Exchanges

Returns or exchanges must be made within 7 days of the delivery date. After 7 days, any claims of delivery errors or requests for returns or exchanges will not be accepted.

Products may be returned/exchanged provided that the item(s) are returned in an unused, clean, sellable condition with original packaging, subject to our discretion.

All returns will be refunded less the delivery cost. All exchanges will incur a return delivery fee.

We reserve the right as final authority on whether the products should be refunded or replaced and make no other warranty and no implied warranties, including any warranty of merchantability or fitness for a particular purpose. Our maximum liability hereunder is limited to the purchase price of the products. In no event shall We be liable for any consequential,

indirect, incidental or special damages of any nature arising from the sale of the product.
Contact Us
Feedback
At MTM we strive to maintain an excellent customer service so if you have any issues or inquiries about your purchase, please feel free to contact us before leaving feedback and we would be happy to help. Please do not leave negative feedback before contacting us.