

SPZ Industrial V Belt Pulley

SPZ 4 Groove-V Pulley with Taperlock to Suit



SPZ-4 Groove Industrial V Belt Pulley


This listing is for SPZ-4 Groove pulley with taperlock to suit.

Please leave us a message stating what bore you require.

Features:

- Cast Iron construction
- Taper-lock bush makes removal and installation easier


Pulley	Grooves	Bush	d2	b	d	Weight
56						
	1	1008	25	38	54	0.45
	2	1008/1108	25/28	50	54	0.53
60						
	1	1008	25	16	64	0.25
	2	1108	28	49	64	0.6
63						
	1	1108	28	16	67	0.3
	2	1108	28	28	67	0.4
	3	1108	28	40	67	0.16
67						
	1	1108	28	16	71	0.3
	2	1108	28	28	71	0.42
	3	1108	28	40	71	0.57
71						
	1	1108	28	16	75	0.4
	2	1108	28	28	75	0.5
	3	1108	28	40	75	0.6
75						
	1	1108	28	16	79	0.5
	2	1210	32	28	79	0.5
	3	1210	32	40	79	0.6
80						
	1	1210	32	16	84	0.4
	2	1210	32	28	84	0.5
	3	1210	32	40	84	0.7
	4	1210	32	52	84	0.8
85						
	1	1210	32	16	89	0.5
	2	1610	42	28	89	0.6
	3	1610	42	40	89	0.8
	4	1610	42	52	89	0.9
90						
	1	1210	32	16	94	0.7
	2	1610	42	28	94	0.8
	3	1610	42	40	94	0.9
	4	1610	42	52	94	1.2
95						
	1	1210	32	16	99	0.8
	2	1610	42	28	99	0.9
	3	1610	42	40	99	1.06
	4	1610	42	52	99	1.2
100						
	1	1210	32	16	104	0.9
	2	1610	42	28	104	1
	3	1610	42	40	104	1.2



	4	1610	42	52	104	1.4
106						
	1	1610	42	16	110	1.1
	2	1610	42	28	110	1.2
	3	1610	42	40	110	1.3
	4	1610	42	52	110	1.7
112						
	1	1610	42	16	116	1.15
	2	1610	42	28	116	1.3
	3	2012	50	40	116	1.4
	4	2012	50	52	116	1.7
118						
	1	1610	42	16	122	1.2
	2	1610	42	28	122	1.5
	3	2012	50	40	122	1.6
	4	2012	50	52	122	2
125						
	1	1610	42	16	129	1.3
	2	1610	42	28	129	1.8
	3	2012	50	40	129	2
	4	2012	50	52	129	2.3
132						
	1	1610	42	16	136	1.5
	2	1610	42	28	136	2
	3	2012	50	40	136	2.4
	4	2012	50	52	136	2.7
140						
	1	1610	42	16	144	1.6
	2	1610	42	28	144	2.4
	3	2012	50	40	144	2.8
	4	2012	50	52	144	3.1
150						
	1	1610	42	16	154	2
	2	2012	50	28	154	2.8
	3	2012	50	40	154	3.4
	4	2517	65	52	154	3.8
160						
	1	1610	42	16	164	1.7
	2	2012	50	28	164	3.3
	3	2012	50	40	164	3.9
	4	2517	65	52	164	4.6
170						
	1	1610	42	16	174	1.5
	2	2012	50	28	174	2.4
	3	2012	50	40	174	3.7
180						
	1	1610	42	16	184	2

	2	2012	50	28	184	3
	3	2012	50	40	184	3.6
	4	2517	65	52	184	6.5
200						
	1	2012	50	16	204	2.7
	2	2012	50	28	204	3.3
	3	2012	50	40	204	4
	4	2517	65	52	204	5.2
224						
	1	2012	50	16	228	3
	2	2012	50	28	228	3.7
	3	2012	50	40	228	4.4
	4	2517	65	52	228	6
250						
	1	2012	50	16	254	2.8
	2	2012	50	28	254	4
	3	2012	50	40	254	4.6
	4	2517	65	52	254	7
280						
	1	2012	50	16	284	3.5
	2	2012	50	28	284	4.4
	3	2517	65	40	284	6.4
	4	2517	65	52	284	7.6
315						
	1	2012	50	16	319	3.8
	2	2012	50	28	319	5.1
	3	2517	65	40	319	7.4
	4	2517	65	52	319	8.6
355						
	1	2012	50	16	359	4.5
	2	2012	50	28	359	8.4
	3	2517	65	40	359	8.8
	4	2517	65	52	359	9.4
400						
	1	2012	50	16	404	4.33
	2	2517	65	28	404	6.9
	3	2517	65	40	404	8.65
	4	2517	65	52	404	10.23

V-Belt Pulley Selection Table



Includes:

- 1 x SPZ-4 Groove Pulley with taperlock bush to suit

We do not deliver to PO Boxes. Please make sure you have a residential address in your details for us to send your order to.

Free shipping for metro areas only, excluding WA, TAS & NT

Local Pick up from our Sydney, Prestons Warehouse available.

You are buying from a professional Business with many years experience in this

market. DO NOT compare this product with other cheaper prices or even same prices. This is commercial quality. Limited Time Offer. QUALITY at the right PRICE. This crazy price will not last long.

Payment Methods Accepted



Listing Details

When making a purchase from any of our eBay listings you are entering into a contract governed by our terms & conditions below. Please ensure you have read these before making your purchase.

Images shown are for demonstration purposes only. Product will match description but may vary from images shown. For any concerns about how a product looks please contact us before ordering.

The item description/price/stock levels is accurate to our knowledge. All errors or omissions are unintentional. If problems are encountered, please contact us.

Payment

Full payment is required within 5 days of sale. Payment can be made by Cash on pick-up (from our Warehouse), Paypal, credit card (over the phone) or bank deposit. Items will not be shipped out unless payment has been made in full.

Shipping/Delivery/Pick up

Please refer to our shipping tab at the top of our listing for all freight costs and delivery times.

Your order will be sent through one of our delivery partners which include Toll, TNT, Couriers Please, E-Go, Go Logistics and Australia Post. The service used to deliver your order will be automatically selected by our freighting system. We assume no liability for postal delays or lost/damaged parcels, but we will assist the buyer to locate or to obtain a replacement.

We require a valid street address for all deliveries. We do NOT deliver to PO Boxes, Parcel Lockers or Post Office addresses. We also require a daytime phone number for all orders. Our operation hours for dispatch are Monday to Friday 9am to 2:30pm. In the unlikely case that you do not receive your order, please contact us to resolve this.

Local Pickup from our Sydney, Prestons Warehouse available.

Warranty

Warranty periods are as follows:

- All remotes and receivers have 3 months warranty
- Garage door and gate motors have 12 months warranty
- All other products have 6 months warranty

If you have a problem with the product, please contact us through eBay and include the original purchase information (i.e. your name, address, email and purchase receipt number)

Warranty does not include damage caused by normal wear and tear, accidents, misuse, lack of maintenance, neglect, natural disaster, or other external causes; to damage caused by operating the equipment in a manner outside that described in the instructions. The warranty is considered void if the item has been modified, altered or tampered with by a person(s) not authorised by us to provide service (with the exception of standard periodic maintenance). Consumables and accessories such as chains, carry bags, batteries, hoses, grinding discs, belts, cables, wheels, blades, tubs, pads, nets etc. are also not covered once used or for damage caused by general wear and tear.

Until the nature of any fault is determined, the resolution we can offer may vary. To assist with a quick resolution, photos of the damaged part/unit will be required for verification. We will repair or replace, at our discretion, any unit determined to be within the warranty period. Where necessary, the item may need to be returned to repair the fault/issue.

The buyer will be liable for all shipping costs associated with any warranty claim.

All returns for warranty must first be authorised in writing by our Customer Service Team and given a Return Authorisation Number (RAN). We will not accept the return of any item/s without a Return Authorisation Number (RAN).

When a return is authorised, it is the buyer's responsibility to ensure the product is packaged securely to prevent any damage during the return process. Failure to do so may affect the

resolution to be offered, which may include repairs, replacement items or store credit at our discretion.

For all warranty claims, the outcome of the inspection should take no longer than 10 business days from the date the item is received by our service department (times may vary).

Warranty claims will not be accepted in cases where the buyer has contributed to the failure, or been misleading in their description of their issues. In these instances, where freight costs were incurred by us to return your item for inspection, reimbursement to us may be required prior to releasing the goods. The item is also to be returned to the buyer at the buyer's expense. Freight cost not to exceed original freight cost. Payment is to be made to us within 7 days of being notified of warranty rejection. Storage fees to apply beyond 7 days at 5% per week of the original product cost until the credit expires. Where money is owed to us for repairs and/or postage, we will be entitled to hold onto the item until payment is made.

Returns/Exchanges

Returns or exchanges must be made within 7 days of the delivery date. After 7 days, any claims of delivery errors or requests for returns or exchanges will not be accepted.

Products may be returned/exchanged provided that the item(s) are returned in an unused, clean, sellable condition with original packaging, subject to our discretion.

If the item has sustained damage in transit, or is not returned as noted above, a revised refund amount may be required.

All returns will be refunded less the delivery cost. All exchanges will incur a return delivery fee.

We reserve the right as final authority on whether the products should be refunded or replaced and make no other warranty and no implied warranties, including any warranty of merchantability or fitness for a particular purpose. Our maximum liability hereunder is limited to the purchase price of the products. In no event shall we be liable for any consequential, indirect, incidental or special damages of any nature arising from the sale of the product.

If you accept these terms and wish to return an item, please send us a message stating your name, order number, the item(s) you wish to return, and the reason for the return. Our Customer Service team will respond to your email and, if applicable, written authorisation for the return will be given. All other relevant information will also be given to you at this time. We will not accept the return of any item(s) without our prior authorisation.

Contact Us

If you have any questions or enquiries, please send us a message.

Feedback

At MTM we strive to maintain an excellent customer service so if you have any issues or inquiries about your purchase, please feel free to contact us before leaving feedback and we would be happy to help. Please do not leave negative feedback before contacting us.

Any negative feedback left without any contact will be regarded as an indication of the conclusion of the transaction.

By placing a bid or buying, you have agreed to all the conditions mentioned above.

